

Prod. Name	DCL Test Code	Test Name	Std Method No	Duration [Working Days]	No.of Specimen Tested	Charges Per Test (AED)	
						DM Projects	Private projects
AGGREGATE	9	CHLORIDE CONTENT OF SAND & AGGREGATE (ACID SOLUBLE)	BS 812 : 1988 P117 " Appendix C "	5	1	210.00	420.00
	10	SULPHATE CONTENT OF SAND & AGGREGATE (ACID SOLUBLE)	BS EN 1744-1:1998	6	1	280.00	560.00
	15	SIEVE ANALYSIS OF FINE AND COARSE AGGREGATE (WET)	BSEN 933-1 : 1997 AMD 15907 MARCH 2006	4	1	175.00	350.00
	16	SPECIFIC GRAVITY & WATER ABSORPTION OF FINE AGGREGATE	ASTM C128 : 07a	4	1	175.00	350.00
	26	FULLY CRUSHED FACES OF AGGREGATE	DMS - 7 : 2001(R-07)	3	1	175.00	350.00
	27	PARTIALLY CRUSHED FACES OF AGGREGATE	DMS - 8 : 2001(R07)	3	1	175.00	350.00
	28	TEN PERCENT FINES (DRY)	BS 812 : 1990 P111 T7.1 (AD-04:2002)	3	2	175.00	350.00
	29	TEN PERCENT FINES (SOAKED)	BS 812 :P111 1990 (AD-04 : 2002)	4	2	189.00	378.00
	30	ELONGATION INDEX OF AGGREGATE	BS 812 : 1990 P105 S105.2	3	1	140.00	280.00
	31	AGGREGATE CRUSHING VALUE	BS 812 : 1990 P110 (AD-03:2002)	3	2	175.00	350.00
	54	SOUNDNESS	ASTM C88 : 05	11	1	385.00	770.00
	57	LOS ANGELES ABRASION (SMALL SIZE COARSE AGGREGATE)	ASTM C131 : 2006	3	1	210.00	420.00
	58	LOS ANGELES ABRASION (LARGE SIZE COARSE AGGREGATE)	ASTM C535 : 2009	3	1	245.00	490.00
	59	PARTICLE DENSITY / WATER ABSORPTION (COARSE AGGREGATE)	BS 812 : 1995 P2 T5.3, 5.4 AMD10379/r - 1999	4	2	105.00	210.00
	60	LIQUID LIMIT	BS 1377 : Part 2:1990 : T4.5 AMD 9027 : 1996	6	1	140.00	280.00
	61	PLASTIC LIMIT	BS 1377 : Part 2:1990 :T5.3 AMD 9027 : 1996	6	1	70.00	140.00
62	PLASTICITY INDEX	BS 1377: Part2: 1990: T5.4 AMD 9027 : 1996	6	1	11.90	23.80	

Prod. Name	DCL Test Code	Test Name	Std Method No	Duration [Working Days]	No. of Specimen Tested	Charges Per Test (AED)	
						DM Projects	Private projects
63		SAMPLING OF AGGREGATE	ASTM D75 - 09	2	1	35.00	70.00
64		SAND EQUIVALENT OF SOILS & FINE AGGREGATE	ASTM D2419 : 2009	3	1	175.00	350.00
67		MATERIAL FINER THAN 75 MICRONS SIEVE BY WASHING	ASTM C117 : 2004	3	1	105.00	210.00
71		SIEVE ANALYSIS (DRY)	ASTM C136 : 2006	3	1	105.00	210.00
72		CLAY LUMPS & FRIABLE PARTICLES IN AGGREGATE	ASTM C142 : 1997 R 2004	7	1	175.00	350.00
85		FLAKINESS INDEX OF AGGREGATE	BS 812 : 1989 P105 S105.1	3	1	105.00	210.00
86		SHELL CONTENT OF COARSE AGGREGATE	BSEN 933-7 : 1998	4	1	70.00	140.00
186		SAMPLING OF AGGREGATE	ASTM D75 - 09	2	1	35.00	70.00
262		ORGANIC IMPURITIES IN FINE AGGREGATE	ASTM C40 (2004)	4	1	52.50	105.00
335		SIEVE ANALYSIS OF MINERAL FILLER	ASTM D546 : 05	3	1	70.00	140.00
337		PARTICLE DENSITY (FILLER)	BS 812 P2:1995 T5.7 AMD 10397:1999	3	2	70.00	140.00
338		COATING AND STRIPPING TEST	ASTM D1664 : 1980 (R1985)	4	1	175.00	350.00
344		SPECIFIC GRAVITY & WATER ABSORPTION OF COARSE AGGREGATE	ASTM C 127 : 07	4	1	105.00	210.00
351		CLAY, SILT AND DUST IN FINE & COARSE AGGREGATE	BSEN 933-1 : 1997 AMD 15907 MARCH 2006	4	1	105.00	210.00
352		PARTICLE DENSITY / WATER ABSORPTION (FINE AGGREGATE)	BS 812 : 1995 P2 T5.5	4	2	175.00	350.00
355		SAMPLING OF AGGREGATE	BS 812 : 1989 P102	2	1	35.00	70.00
357		SIEVE ANALYSIS (DRY)	BSEN 933-1 : CL.7.2 : 1997 AMD 15907 MARCH 2006	3	1	105.00	210.00

Prod. Name	DCL Test Code	Test Name	Std Method No	Duration [Working Days]	No.of Specimen Tested	Charges Per Test (AED)	
						DM Projects	Private projects
536		SIEVE ANALYSIS OF FINE AND COARSE AGGREGATE.(WET)	ASTM C 136 : CL.7.7.1 : 2006	4	1	175.00	350.00
704		BULK DENSITY & VOIDS IN AGGREGATE - RODDING	ASTM C 29 / C 29 M : 2009 CLAUSE 10	4	2	140.00	280.00
705		BULK DENSITY & VOIDS IN AGGREGATE - JIGGING	ASTM C 29/ C 29 M : 2009, CLAUSE 11	4	2	140.00	280.00
706		BULK DENSITY & VOIDS IN AGGREGATE - LOOSE	ASTM C 29/ C 29M :2009 CLAUSE 12	4	2	140.00	280.00
38							

Prod. Name	DCL Test Code	Test Name	Std Method No	Duration [Working Days]	No.of Specimen Tested	Charges Per Test (AED)	
						DM Projects	Private projects
ASPHALT BULK SAMPLE	33	SAMPLING OF BITUMINOUS PAVING MIXTURES	ASTM D979 : 2001	2	1	24.50	49.00
	35	THEORETICAL MAX. SP. GR. & DENSITY (Gmm GENERAL)	ASTM D2041 : 1991 (AD- 02 : 2002)	4	2	140.00	280.00
	36	THEORETICAL MAX. SP. GR. & DENSITY (Gmm SUPPLEMENTAL)	ASTM D2041 : 1991 (AD-02 : 2002)	4	2	280.00	560.00
	48	EXTRACTION OF BITUMEN FROM BITUMINOUS PAV. MIX.(CENTRIFUGE)	ASTM D2172 : 1992 MA C11.6.2	4	1	140.00	280.00
	364	SIEVE ANALYSIS OF EXTRACTED AGGREGATE	ASTM D 5444 - 05	4	1	175.00	350.00
	374	ASPHALT CONTENT OF HOT MIX ASPHALT BY THE IGNITION METHOD (WEARING COURSE)	ASTM D6307 - 05 (METHOD A)	3	1	70.00	140.00
	494	ANALYSIS OF MIXTURES BY IGNITION METHOD AND SIEVE ANALYSIS OF EXTRACTED AGGREGATE (WEARING COURSE)	ASTM D6307 - 05 (METHOD A); ASTM D 5444 - 08	4	1	245.00	490.00
	527	ANALYSIS OF BIT. MIXTURES BY IGNITION METHOD AND SIEVE ANALYSIS OF EXTRACTED AGGREGATE (CUT-OUT W/C)	ASTM D 6307 - 05 (METHOD A); ASTM D 5444 - 08	8	3	735.00	1,470.00
	563	ANALYSIS OF MIXTURES BY IGNITION METHOD AND SIEVE ANALYSIS OF EXTRACTED AGGREGATE (BASE COURSE)	ASTM D 6307 - 05 (METHOD A); ASTM D 5444 - 08	4	1	315.00	630.00
	566	ANALYSIS OF BIT. MIXTURES BY IGNITION METHOD AND SIVE ANALYSIS OF EXTRACTED AGGREGATE (CUT-OUT B/C)	ASTM D 6307 - 05 (METHOD A); ASTM D 5444 - 08	8	3	945.00	1,890.00
663	ANALYSIS OF BITUMINOUS PAVING MIXTURES BY CENTRIFUGE & SIEVE ANALYSIS	ASTM D2172-05 METHOD A CLAUSE 11.6.2 & ASTM D5444-08	4	1	315.00	630.00	
11							

Prod. Name	DCL Test Code	Test Name	Std Method No	Duration [Working Days]	No. of Specimen Tested	Charges Per Test (AED)	
						DM Projects	Private projects
ASPHALT CORE SAMPLE	33	SAMPLING OF BITUMINOUS PAVING MIXTURES	ASTM D979 : 2001	2	2	49.00	98.00
	36	THEORETICAL MAX. SP. GR. & DENSITY (Gmm SUPPLEMENTAL)	ASTM D2041 : 1991 (AD-02 : 2002)	4	2	280.00	560.00
	39	SPECIMENS THICKNESS / DIAMETER OF COMPACTED BIT.PAVING MIX.	ASTM D3549 : 2003	2	2	14.00	28.00
	50	BULK SPECIFIC GRAVITY & DENSITY (WAX)	ASTM D1188 : 1989 (AD-01 : 2002)	4	2	42.00	84.00
	51	BULK SPECIFIC GRAVITY & DENSITY (SSD)	ASTM D2726 : 1990	4	2	42.00	84.00
	363	VOIDAGE CONTENT DETERMINATION	DMS - 9 : 2001	4	2	23.80	47.60
	667	RUTTING SUSCEPTIBILITY OF HMA USING THE ASPHALT PAYEMENT ANALYZER	AASHTO TP 63-06, ASTM D 2726-09 DMS 9-01(R-07) ASTM D3549-03	6	6	233.10	466.20
7							

Prod. Name	DCL Test Code	Test Name	Std Method No	Duration [Working Days]	No. of Specimen Tested	Charges Per Test (AED)	
						DM Projects	Private projects
ASPHALT GYRATORY SAMPLE	50	BULK SPECIFIC GRAVITY & DENSITY (WAX)	ASTM D1188 : 1989 (AD-01 : 2002)	4	1	21.00	42.00
	51	BULK SPECIFIC GRAVITY & DENSITY (SSD)	ASTM D2726 : 1990	4	4	84.00	168.00
	363	VOIDAGE CONTENT DETERMINATION	DMS - 9 : 2001	4	4	47.60	95.20
	504	PREPARATION OF ASPHALT SPECIMENS BY GYRATORY - COMPACTOR.	AASHTO TP4-00 CLAUSE 9	2	4	70.00	140.00
	666	STM FOR INDIRECT TENSILE (IDT) OF BITUMINOUS MIX.	ASTM D 6931-07 ASTM D2726-09 DMS 9-2001 (R07) ASTM D3549-03	4	4	70.00	140.00
	667	RUTTING SUSCEPTIBILITY OF HMA USING THE ASPHALT PAYEMENT ANALYZER	AASHTO TP 63-06, ASTM D 2726-09 DMS 9-01(R-07) ASTM D3549-03	6	6	233.10	466.20
4							

Prod. Name	DCL Test Code	Test Name	Std Method No	Duration [Working Days]	No. of Specimen Tested	Charges Per Test (AED)	
						DM Projects	Private projects
ASPHALT LAB MIX SAMPLE	35	THEORETICAL MAX. SP. GR. & DENSITY (Gmm GENERAL)	ASTM D2041 : 1991 (AD- 02 : 2002)	4	2	140.00	280.00
	50	BULK SPECIFIC GRAVITY & DENSITY (WAX)	ASTM D1188 : 1989 (AD-01 : 2002)	4	4	84.00	168.00
	51	BULK SPECIFIC GRAVITY & DENSITY (SSD)	ASTM D2726 : 1990	4	4	84.00	168.00
	52	MARSHALL PREPARATION OF COMPACTED BIT.SPECIMEN (PER BLOW)	ASTM D6926 : 04	3	4	2.24	4.48
	366	PREPARATION OF ASPHALT SPECIMEN BY GYRATORY COMPACTOR	AASHTO TP4:2000	4	4	616.00	1,232.00
	374	ASPHALT CONTENT OF HOT MIX ASPHALT BY THE IGNITION METHOD (WEARING COURSE)	ASTM D6307 - 05 (METHOD A)	3	3	210.00	420.00
	377	LABORATORY PREPARATION OF BITUMINOUS PAVING MIXTURES	DMS - 5 : 1999 (R-2001)	3	2 3	280.00 420.00	560.00 840.00
	496	ANALYSIS OF COMPACTED PAVING MIXTURES (WAX METHOD)	ASTM D6927-06,ASTM D2726-10,DMS9-01(2007),ASTM D1188-89,ASTM D3549-03	16	7	367.50	735.00
	523	AIR VOIDS AT REFUSAL (WAX)	ASTM D1188:1989(DM AD01),DMS-9:2001	8	3	98.70	197.40
	524	AIR VOIDS AT REFUSAL (SSD)	ASTM D 2726-10; DMS 9-01(R07) : ASTM D 3549-03	8	3	98.70	197.40
	564	ASPHALT CONTENT OF HOT MIX ASPHALT BY IGNITION METHOD (BASE COURSE)	ASTM D 6307 - 05 (METHOD A)	4	3	420.00	840.00
	565	ANALYSIS OF COMPACTED PAVING MIXTURE	ASTM D 6927-06; ASTM D 2726-10; ASTM D 3549-03; DMS 9-01(R07)	5	4	217.00	434.00
	567	LOSS OF STABILITY	ASTM D 6927-06; ASTM D 2726-10;ASTM D 3549-03; DMS 10-01(R07)	6	8	322.00	644.00
	568	LOSS OF STABILITY WITH VOIDAGE	ASTM D3549-03; ASTM D2726-10; ASTM D6927-06;DMS9-01(R07);DMS10-01(R07)	8	8	385.28	770.56
14							

Prod. Name	DCL Test Code	Test Name	Std Method No	Duration [Working Days]	No. of Specimen Tested	Charges Per Test (AED)	
						DM Projects	Private projects
ASPHALT MARSHALL SAMPLE	50	BULK SPECIFIC GRAVITY & DENSITY (WAX)	ASTM D1188 : 1989 (AD-01 : 2002)	4	4	84.00	168.00
	51	BULK SPECIFIC GRAVITY & DENSITY (SSD)	ASTM D2726 : 1990	4	4	84.00	168.00
	496	ANALYSIS OF COMPACTED PAVING MIXTURES (WAX METHOD)	ASTM D6927-06,ASTM D2726-10,DMS9-01(2007),ASTM D1188-89,ASTM D3549-03	16	4	210.00	420.00
	565	ANALYSIS OF COMPACTED PAVING MIXTURE	ASTM D 6927-06; ASTM D 2726-10; ASTM D 3549-03; DMS 9-01(R07)	5	4	217.00	434.00
	567	LOSS OF STABILITY	ASTM D 6927-06; ASTM D 2726-10;ASTM D 3549-03; DMS 10-01(R07)	6	8	322.00	644.00
	568	LOSS OF STABILITY WITH VOIDAGE	ASTM D3549-03; ASTM D2726-10; ASTM D6927-06;DMS9-01(R07);DMS10-01(R07)	8	8	385.28	770.56
	666	STM FOR INDIRECT TENSILE (IDT) OF BITUMINOUS MIX.	ASTM D 6931-07 ASTM D2726-09 DMS 9-2001 (R07) ASTM D3549-03	4	8	560.00	1,120.00
7							

Prod. Name	DCL Test Code	Test Name	Std Method No	Duration [Working Days]	No. of Specimen Tested	Charges Per Test (AED)	
						DM Projects	Private projects
264		PENETRATION OF BITUMINOUS MATERIALS	ASTM D5 - 06	4	1	140.00	280.00
265		SAYBOLT FUROL VISCOSITY OF PETROLEUM PRODUCTS	ASTM D88 : 2007	3	2	105.00	210.00
266		FLASH POINT	ASTM D92 - 05a	5	1	70.00	140.00
270		KINEMATIC VISCOSITY OF ASPHALT	ASTM D2170 - 07	5	5	350.00	700.00
271		SPECIFIC GRAVITY & DENSITY OF SEMI - SOLID BITUMINOUS MATERIAL	ASTM D70 : 2009	5	2	140.00	280.00
272		SOFTENING POINT OF BITUMEN	ASTM D36 : 06	4	2	140.00	280.00
273		SAYBOLT FUROL VISCOSITY OF EMULSIFIED ASPHALT	ASTM D7496-09 : cl. 7.1 PROC. B	3	2	105.00	210.00
371		VISCOSITY OF ASPHALT BY BROOKFIELD THERMOSEL APPARATUS	ASTM D 4402 - 06	3	2	350.00	700.00
372		RHEOLOGICAL PROPERTIES OF ASPHALT BY DYNAMIC SHEAR	AASHTO TP 5	3	10	700.00	1,400.00
461		WATER VAPOR TRANSMISSION	ASTM E96-00	20	4	420.00	840.00
484		TENSILE PROPERTIES OF BITUMEN SHEET FOR ROOF WATER PROOFING	BS EN 12311 P1 : 2000	4	10	280.00	560.00
497		ACCELERATED AGING OF ASPHALT BINDER USING PAV	AASHTO PP1-93	8	1	105.00	210.00
498		EFFECT OF HEAT AND AIR ON A MOVING FILM OF ASPHALT (RTFO)	ASTM D 2872:04	7	1	70.00	140.00
502		TENSILE PROPERTIES OF THIN PLASTIC SHEETING	ASTM D882: 2001	7	10	525.00	1,050.00
538		TENSILE - TEAR STRENGTH OF MODIFIED BITUMINOUS SHEET MATERIAL	ASTM D5147:2002 CLAUSE 7	5	10	280.00	560.00
539		TENSILE PROPERTIES OF FLEXIBLE SHEETS FOR BTU. WATER PROFING MEMBRANE	ASTM D4073 :1994 R98	5	10	280.00	560.00
540		LOW TEMPERATURE FLEXIBILITY OF MODIFIED BITUMINOUS SHEET MATERIAL	ASTM D5147:02a CLAUSE 11	4	10	122.50	245.00
541		COMPOUND STABILITY OF MODIFIED BITUMINOUS SHEET MATERIAL	ASTM D5147:02a CLAUSE 15	4	10	122.50	245.00
675		UNIFORMITY TEST FOR EMULSIFIED BITUMEN	ASTM D 2939 - 03, Section 5	3	1	140.00	280.00

BITUMEN

Prod. Name	DCL Test Code	Test Name	Std Method No	Duration [Working Days]	No.of Specimen Tested	Charges Per Test (AED)	
						DM Projects	Private projects
676		RESIDUE BY EVAP,VOLATILE & VOLATILIZATION TEST FOR EMULSIFIED BITUMEN	ASTM D 2939 - 03. Section 8, 9 & 23	3	2	560.00	1,120.00
677		DRYING TIME TEST FOR EMULSIFIED BITUMEN	ASTM D 2939 - 03. Section 13	2	2	210.00	420.00
678		BRUSH APPLICATION BEHAVIOR TEST FOR EMULSIFIED BITUMEN	ASTM D 2939 - 03, Section 17	2	1	210.00	420.00
679		WET FLOW TEST FOR EMULSIFIED BITUMEN	ASTM D 2939 - 03. Section 19	3	1	210.00	420.00
680		WET FILM CONTINUITY TEST FOR EMULSIFIED BITUMEN	ASTM D 2939 - 03. Section 22	3	1	140.00	280.00
681		RESISTANCE TO FREEZING TEST ON EMULSIFIED BITUMEN	ASTM D 2939 - 03, SECTION 6	3	1	280.00	560.00
682		HEAT RESISTANCE TEST FOR EMULSIFIED BITUMENS	ASTM D 2939 - 03, SECTION 14	3	1	210.00	420.00
683		DIRECT FLAME TEST EMULSIFIED BITUMENS USED AS PROTECTIVE COATING	ASTM D 2939 - 03 SECTION 20	3	2	420.00	840.00
684		RESISTANCE TO VOLATILIZATION TEST ON EMULSIFIED BITUMEN	ASTM D 2939 -03 SECTION 23	2	2	420.00	840.00
685		VOLATILES BY EVAPORATION TEST ON EMULSIFIED BITUMEN	ASTM D 2939 - 03, SECTION 9	2	2	140.00	280.00
686		RESIDUE BY EVAPORATION TEST ON EMULSIFIED BITUMEN	ASTM D 2939 - 03, SECTION 8	2	2	280.00	560.00
687		RESISTANCE TO WATER TEST ON EMULSIFIED BITUMENS USED AS PROTECTIVE COATING	ASTM D 2939 - 03 SECTION 15	3	2	280.00	560.00
688		ASH CONTENT TEST EMULSIFIED BITUMENS USED AS PROTECTIVE COATING	ASTM 2939 - 03, SECTION 10	4	6	1,260.00	2,520.00
702		SOLUBILITY OF ASPHALT MATERIALS IN TRICHLOROETHYLENE	ASTM D 2042-09	3	1	175.00	350.00
703		DUCTILITY OF BITUMINOUS MATERIALS	ASTM D113-07	4	3	420.00	840.00
34							

Prod. Name	DCL Test Code	Test Name	Std Method No	Duration [Working Days]	No.of Specimen Tested	Charges Per Test (AED)	
						DM Projects	Private projects
	1	COMPRESSIVE STRENGTH OF SOLID MASONRY BLOCKS	BS 6073 : 1981 P2 Ap. B AMD4508 - 1984	5	10	210.00	420.00
	2	COMPRESSIVE STRENGTH OF HOLLOW MASONRY BLOCKS	BS 6073 : 1981 P2 Ap. B AMD4508 : 1984	5	10	210.00	420.00
	3	COMPRESSIVE STRENGTH OF FILLER BLOCKS	BS 6073 : 1981 P2 Ap. B AMD4508 - 1984	5	10	210.00	420.00
	4	DIMENSION OF SOLID MASONRY BLOCKS	BS 6073 : 1981 P1 Ap. A AMD4462 - 1984	3	10	210.00	420.00
	5	DIMENSION OF HOLLOW MASONARY BLOCKS	BS 6073 : 1981 P1 Ap. A AMD4462 - 1984	3	10	210.00	420.00
	6	DIMENSION OF FILLER BLOCKS	BS 6073 : 1981 P1 Ap. A AMD4462 - 1984	3	10	210.00	420.00
	7	DENSITY OF BLOCKS	BS 6073 : 1981 P2 Ap. C AMD4508 - 1984	3	3	105.00	210.00
	8	CHLORIDE CONTENT OF CONCRETE BLOCKS	BS 1881 : 1988 P124	5	1	210.00	420.00
	11	COMPRESSIVE STRENGTH OF PAVING BLOCKS - NON RECTANGULAR	BS 6717 : 1993 P1 Anx. A & B	4	10	161.00	322.00
	12	COMPRESSIVE STRENGTH OF PAVING BLOCKS - RECTANGULAR	BS 6717 : 1993 P1 Anx. A & B	4	10	161.00	322.00
	13	DIMENSION OF PAVING BLOCKS - NON RECTANGULAR	BS 6717 : 1993 P1 Anx. A	3	10	70.00	140.00
	14	DIMENSION OF PAVING BLOCKS - RECTANGULAR	BS 6717 : 1993 P1 Anx. A	3	10	70.00	140.00
	17	SAMPLING OF BLOCKS	WI-IC-01-02	2	1	5.22	10.44
	98	WATER ABSORPTION OF PAVING BLOCKS	BS 1881 : 1983 P122 AMD6108 - 1989	8	3	42.00	84.00
BLOCK	108	WATER ABSORPTION OF PAVING BLOCKS	ASTM C140 : 2001	5	3	105.00	210.00
	274	SULPHATE CONTENT INHARDENED CONCRETE	BS 1881 P124 : (1988) AD- 06 (2002)	5	1	280.00	560.00
	376	ANALYSIS OF MATERIAL BY X-RAY FLUORSCENCE SPECTOMETRY	BS EN 196 - 2 : 2005	4	1	280.00	560.00

Prod. Name	DCL Test Code	Test Name	Std Method No	Duration [Working Days]	No. of Specimen Tested	Charges Per Test (AED)	
						DM Projects	Private projects
443		MOISTURE CONTENT DETERMINATION	ASTM C 1616 - 07	5	4	184.80	369.60
528		DIMENSION OF MASONRY UNITS	BSEN 772-16	5	6	126.00	252.00
529		COMPRESSIVE STRENGTH OF AUTOCLAVED AERATED CONCRETE	BSEN 679-1994	5	6	126.00	252.00
530		DRY DENSITY OF AUTOCLAVED AERATED CONCRETE	BSEN 678-1994	5	3	105.00	210.00
531		DRYING SHRINKAGE OF AUTOCLAVED AERATED CONCRETE	BSEN 680-1994	10	3	420.00	840.00
547		DETERMINATION OF GROSS DRY DENSITY OF MASONRY UNITS	BS EN 772 - 13 : 2000 CLAUSE 7.3	7	6	210.00	420.00
548		DETERMINATION OF COMPRESSIVE STRENGTH OF MASONRY UNIT	BS EN 772 - 1 : 2000	5	6	210.00	420.00
549		DETERMINATION OF NET DRY DENSITY OF MASONRY UNITS	BS EN 772 - 13 : 2000 CLAUSE 7.2	4	6	315.00	630.00
550		THERMAL TRANSMISSION PROPERTIES BY HEAT FLOW METER (AAC BLOCK)	ASTM C-518 : 2004	18	1	385.00	770.00
657		COMPRESSIVE STRENGTH OF CONCRETE MASONRY UNIT & RELATED UNIT	ASTM C140 - 09a & DMS-1: Part 4 : 2009	5	3	157.50	315.00
658		DIMENSION OF CONCRETE MASONRY UNITS & RELATED UNIT	ASTM C140 - 09a	5	3	105.00	210.00
696		MEASUREMENT OF ABRASION RESISTANCE (WIDE WHEEL TEST)	BS EN 1338:2003 (E)-ANNEX G, AMD 16470-2006	4	3	749.70	1,499.40
707		SOLAR REFLECTANCE INDEX (SRI) OF MATERIALS	ASTM E 1980:01	20	1	2,030.00	4,060.00
30							

Prod. Name	DCL Test Code	Test Name	Std Method No	Duration [Working Days]	No.of Specimen Tested	Charges Per Test (AED)	
						DM Projects	Private projects
CEMENT	111	CONSISTENCY OF CEMENT	BS EN 196-3:2005 Clause 5	4	1	70.00	140.00
	112	SETTING TIME OF CEMENT	BS EN 196 - 3 : 2005 Clause 6	4	1	70.00	140.00
	113	SOUNDNESS OF CEMENT	BS EN 196 - 3 : 2005, Clause 7	5	2	70.00	140.00
	255	CHLORIDE CONTENT OF CEMENT	BSEN 196 -P21 : 1992	3	1	210.00	420.00
	373	ANALYSIS OF CEMENT BY X-RAY FLUORECENC SPECTROMETRY	BS EN 196 - 2 : 2005	4	1	280.00	560.00
	376	ANALYSIS OF MATERIAL BY X-RAY FLUORSCENCE SPECTROMETRY	BS EN 196 - 2 : 2005	4	1	280.00	560.00
	379	MAKING TEST SPECIMENS - PRISMS	BS EN 196-1 : 2005	4	3	52.50	105.00
	380	COMPRESSIVE STRENGTH OF CEMENT	BS EN 196-1 : 2005 CLAUSE 9.2	30	6	63.00	126.00
	381	FLEXURAL STRENGTH OF CEMENT	BS EN 196-1 : 2005 CLAUSE 9.1	30	3	42.00	84.00
	448	DETERMINATION OF FINENESS OF CEMENT	BS EN 196 - 6 : 1992	3	1	70.00	140.00
	519	COMPRESSIVE STRENGTH OF HYDRAULIC CEMENT MORTARS	ASTM C109/C109M-02	4	1	21.00	42.00
	575	DENSITY OF CEMENT	BS EN 196-6 NC:1992	4	1	210.00	420.00
12							

Prod. Name	DCL Test Code	Test Name	Std Method No	Duration [Working Days]	No.of Specimen Tested	Charges Per Test (AED)	
						DM Projects	Private projects
CERAMIC TILES	636	WATER ABSORPTION PF CERAMIC TILES	BS EN ISO 10545-3 : 1997 CLAUSE 5.1.1	4	10	462.00	924.00
	637	MODULUS OF RUPTURE AND BREAKING STRENGTH OF CERAMIC TILES	BS EN ISO 10545-4 : 1997	5	10	462.00	924.00
	707	SOLAR REFLECTANCE INDEX (SRI) OF MATERIALS	ASTM E 1980:01	20	1	2,030.00	4,060.00
3							

Prod. Name	DCL Test Code	Test Name	Std Method No	Duration [Working Days]	No.of Specimen Tested	Charges Per Test (AED)	
						DM Projects	Private projects
CONCRETE - CUBE	117	SAMPLING HARDENED CONCRETE (CORING ON FLOORS)	BS 1881 : 1983 P120 AMD6109 - 1989	2	1	35.00	70.00
	131	NORMAL CURING OF TEST SPECIMEN	BS 1881 : 1983 P111 AMD9387 - 1997	32	3	52.50	105.00
	137	COMPRESSIVE STRENGTH OF CONCRETE CUBES	BS 1881 : 1983 P116 AMD6720 - 1991	3	1 3	21.00 63.00	42.00 126.00
	139	WATER ABSORPTION OF HARDENED CONCRETE	BS 1881 : 1983 P122 AMD6108 - 1989	8	3	157.50	315.00
	274	SULPHATE CONTENT INHARDENED CONCRETE	BS 1881 P124 : (1988) AD- 06 (2002)	5	1	280.00	560.00
	275	CHLORIDE CONTENT IN HARDENED CONCRETE	BS 1881 P124 : (1988) AD- 06 (2002)	5	1	210.00	420.00
	361	TYPE OF CEMENT	BS 1881 P124 : (1988) AD- 06 (2002)	5	1	350.00	700.00
	427	ELECTRICAL INDICATION OF CONCRETE'S ABILITY TO RESIST CHLORIDE IO	ASTM C1202 : 2010	5	2	210.00	420.00
	472	INITIAL SURFACE ABSORPTION OF CONCRETE	BS 1881 : P208 : 1996	7	3	384.30	768.60
	487	DEPTH OF PENTRATION OF WATER FOR CONCRETE	BS EN 12390 - 8 :2009	5	3	174.93	349.86
	646	TESTING HARDENED CONCRETE: PART 3 :C/S OF TEST SPECIMEN	BS EN 12390-3:2009	4	3	420.00	840.00
11							

Prod. Name	DCL Test Code	Test Name	Std Method No	Duration [Working Days]	No.of Specimen Tested	Charges Per Test (AED)	
						DM Projects	Private projects
CONCRETE - FRESH	124	SAMPLING OF FRESH CONCRETE ON SITE	BS 1881 : 1983 P101 AMD6728 - 1991	4	1	35.00	70.00
	125	SLUMP TEST OF FRESH CONCRETE	BSEN 12350 - 2 : 2009	4	1 4	35.00 140.00	70.00 280.00
	128	MAKING TEST CUBES FROM FRESH CONCRETE	BS 1881 : 1983 P108 AMD6105 - 1989	4	3	105.00	210.00
	130	MAKING TEST CYLINDERS FROM FRESH CONCRETE	BS 1881 : 1983 P110 AMD6103 - 1989	4	3	105.00	210.00
	140	MIXING & SAMPLING FRESH CONCRETE IN LAB	BS 1881 : 1986 P125 AMD6107 - 1989	4	1	52.50	105.00
	469	BLEEDING OF CONCRETE	ASTM C 232 / C 232 M -09	6	1	105.00	210.00
	470	AIR CONTENT OF FRESH CONCRETE - PRESSURE METHOD	BS EN 12350 -7 :2009	6	1	105.00	210.00
	489	MAKING AND CURING SPECIMENS FOR STRENGTH TESTS	BS EN 12390 - 2 : 2002	32	3	262.50	525.00
	490	SAMPLING FRESH CONCRETE	BS EN 12350 - 1 : 2002	4	1	35.00	70.00
9							

Prod. Name	DCL Test Code	Test Name	Std Method No	Duration [Working Days]	No. of Specimen Tested	Charges Per Test (AED)	
						DM Projects	Private projects
CONCRETE - HARDENED	117	SAMPLING HARDENED CONCRETE (CORING ON FLOORS)	BS 1881 : 1983 P120 AMD6109 - 1989	2	1	35.00	70.00
	118	SAMPLING HARDENED CONCRETE (CORING ON WALLS, COLUMNS)	BS 1881 : 1983 P120 AMD6109 - 1989	2	1	70.00	140.00
	131	NORMAL CURING OF TEST SPECIMEN	BS 1881 : 1983 P111 AMD9387 - 1997	32	3	52.50	105.00
	132	SPLITTING TENSILE STRENGTH OF CYLINDRICAL CONCRETE	ASTM C496/ C 496 M - 04	3	3	52.50	105.00
	136	DENSITY OF HARDENED CONCRETE	BS 1881 : 1983 P114 AMD6721 - 1991	4	1	10.50	21.00
	138	COMPRESSIVE STRENGTH OF CONCRETE CORES	BSEN 12504-1:2009	6	1	87.50	175.00
	139	WATER ABSORPTION OF HARDENED CONCRETE	BS 1881 : 1983 P122 AMD6108 - 1989	8	3	157.50	315.00
	146	SAMPLING PRECAST CONCRETE KERBS	BS 7263 : 1994 P1 C14	3	3	105.00	210.00
	147	MEASUREMENT OF DIMENSIONS OF PRECAST CONCRETE KERBS	BS 7263 : 1994 P1 Anx. A.3	4	3	105.00	210.00
	148	TRANSVERSE STRENGTH OF PRECAST CONCRETE KERBS	BS 7263 : 1994 P1 Anx. B.2.2	4	3	210.00	420.00
	149	WATER ABSORPTION OF PRECAST CONCRETE KERBS	BS 7263 : 1994 P1 Anx. C.2.2	7	3	315.00	630.00
	274	SULPHATE CONTENT INHARDENED CONCRETE	BS 1881 P124 : (1988) AD- 06 (2002)	5	1	280.00	560.00
	275	CHLORIDE CONTENT IN HARDENED CONCRETE	BS 1881 P124 : (1988) AD- 06 (2002)	5	1	210.00	420.00
	427	ELECTRICAL INDICATION OF CONCRETE'S ABILITY TO RESIST CHLORIDE IO	ASTM C1202 : 2010	5	2	210.00	420.00
	450	FLEXURAL STRENGTH OF CONCRETE PRISMS	BS EN 12390 : PART 5 : 2000	4	3	210.00	420.00
	461	WATER VAPOR TRANSMISSION OF INSULATION MATERIALS	ASTM E96-00	20	3	315.00	630.00
	472	INITIAL SURFACE ABSORPTION OF CONCRETE	BS 1881 : P208 : 1996	7	3	384.30	768.60

Prod. Name	DCL Test Code	Test Name	Std Method No	Duration [Working Days]	No.of Specimen Tested	Charges Per Test (AED)	
						DM Projects	Private projects
487	DEPTH OF PENTRATION OF WATER FOR CONCRETE	BS EN 12390 - 8 :2009	5	3	174.93	349.86	
573	MAKING SPECIMEN FOR THERMAL CONDUCTIVTY		7	3	210.00	420.00	
21							

Prod. Name	DCL Test Code	Test Name	Std Method No	Duration [Working Days]	No. of Specimen Tested	Charges Per Test (AED)	
						DM Projects	Private projects
	111	CONSISTENCY OF CEMENT	BS EN 196-3:2005 Clause 5	4	1	70.00	140.00
	112	SETTING TIME OF CEMENT	BS EN 196 - 3 : 2005 Clause 6	4	1	70.00	140.00
	113	SOUNDNESS OF CEMENT	BS EN 196 - 3 : 2005, Clause 7	5	2	70.00	140.00
	376	ANALYSIS OF MATERIAL BY X-RAY FLUORSCENCE SPECTOMETRY	BS EN 196 - 2 : 2005	4	1	280.00	560.00
	379	MAKING TEST SPECIMENS - PRISMS	BS EN 196-1 : 2005	4	3	52.50	105.00
	380	COMPRESSIVE STRENGTH OF CEMENT	BS EN 196-1 : 2005 CLAUSE 9.2	30	6	63.00	126.00
	381	FLEXURAL STRENGTH OF CEMENT	BS EN 196-1 : 2005 CLAUSE 9.1	30	3	42.00	84.00
	574	WATER REQUIREMENT OF FUEL ASH	BS 3892 PART1:1997 ANNEX E	4	1	175.00	350.00
	575	DENSITY OF CEMENT	BS EN 196-6 NC:1992	4	1	210.00	420.00
	576	MOISTURE CONTENT OF FUEL ASH	BS 3892 PART 1:1997 ANNEX C	4	1	70.00	140.00
	577	STRENGTH FACTOR OF FUEL ASH	BS 3892 PART 1:1997 ANNEX F	32	1	175.00	350.00
	590	ACTIVITY INDEX OF FLY ASH	BSEN 450 -1 : 2005	32	1	175.00	350.00
	591	WATER REQUIRED FOR FLY ASH	BSEN - 450 -1 : 2005	4	1	175.00	350.00
	600	ACCELERATED POZZILANIC STRENGTH ACTIVITY INDEX WITH OPC	ASTM C-1240:05 CLAUSE 16	4	1	175.00	350.00
	601	BULK DENSITY OF SILICA FUME	ASTM C1240.05 CLAUSE 19	4	1	210.00	420.00
	602	DENSITY OF SILICA FUMES	ASTM C 1240 .05 CLAUSE 12	4	1	210.00	420.00
	603	FINESS OF CEMENT BY 45 um SIEVE	ASTM - C 430:96 (Re 2003)	4	1	315.00	630.00
	604	MOISTURE CONTENT OF SILICA FUMES	ASTM C-311-2005	4	1	70.00	140.00

CONCRETE ADDITIVES

Prod. Name	DCL Test Code	Test Name	Std Method No	Duration [Working Days]	No. of Specimen Tested	Charges Per Test (AED)	
						DM Projects	Private projects
	137	COMPRESSIVE STRENGTH OF CONCRETE CUBES	BS 1881 : 1983 P116 AMD6720 - 1991	3	3	63.00	126.00
	379	MAKING TEST SPECIMENS - PRISMS	BS EN 196-1 : 2005	4	3	52.50	105.00
	380	COMPRESSIVE STRENGTH OF CEMENT	BS EN 196-1 : 2005 CLAUSE 9.2	30	6	63.00	126.00
	381	FLEXURAL STRENGTH OF CEMENT	BS EN 196-1 : 2005 CLAUSE 9.1	30	3	42.00	84.00
	519	COMPRESSIVE STRENGTH OF HYDRAULIC CEMENT MORTARS	ASTM C109/C109M-02	4	1	21.00	42.00
	550	THERMAL TRANSMISSION PROPERTIES BY HEAT FLOW METER (AAC BLOCK)	ASTM C-518 : 2010	18	1	385.00	770.00
MORTAR	585	FLEXURAL STRENGTH OF HARDENED MORTAR	BSEN 1015-11:1999	32	3	80.43	160.86
	586	COMPRESSIVE STRENGTH OF HARDENED MORTAR	BSEN 1015-11:1999	32	6	139.86	279.72
	587	DRY BULK DENSITY OF HARDENED MORTAR	BSEN 1015-10:1999	36	1	80.50	161.00
	588	WATER ABSORPTION OF HARDENED MORTAR	BSEN 1015-18:2002	36	6	244.86	489.72
	589	FLOW OF HYDRAULIC MORTAR	ASTM C 1437-01	3	1	121.31	242.62
	592	ADHESIVE STRENGTH OF MORTER	BSEN - 1015-12 :2000	34	5	262.50	525.00
	627	FLUIDITY TEST OF GROUT	BSEN-445:2007 CLAUSE 4.3.1	3	1	210.00	420.00
	628	FLUID DENSITY TEST OF GROUT	BSEN 445:2007 CLAUSE 4.7	3	1	210.00	420.00
	629	BLEEDING TEST OF GROUT	BSEN 445:2007 CLAUSE 4.5	3	1	350.00	700.00
	630	VOLUME CHANGES TEST OF GROUT	BSEN 445:2007 CLAUSE 4.5	4	1	420.00	840.00

Prod. Name	DCL Test Code	Test Name	Std Method No	Duration [Working Days]	No.of Specimen Tested	Charges Per Test (AED)	
						DM Projects	Private projects
PIPE	631	HEAT REVERSION OF POLYPROPYLENE PIPES	DIN 8078: 2008-09& BSEN ISO 2505-05	10	3	262.50	525.00
	632	SURFACE FINISH OF POLYPROPYLENE PIPES	DIN 8078 : 2008-09	5	3	105.00	210.00
	633	OVALITY OF POLYPROPYLENE PIPES	DIN 8078 : 2008-09	5	3	105.00	210.00
	634	DIMENSION OF POLYPROPYLENE PIPES	DIN- 8078 :2008-09	5	3	210.00	420.00
4							

Prod. Name	DCL Test Code	Test Name	Std Method No	Duration [Working Days]	No.of Specimen Tested	Charges Per Test (AED)	
						DM Projects	Private projects
	16	SPECIFIC GRAVITY & WATER ABSORPTION OF FINE AGGREGATE	ASTM C128 : 07a	4	1	175.00	350.00
	54	SOUNDNESS	ASTM C88 : 05	11	1	385.00	770.00
	57	LOS ANGELES ABRASION (SMALL SIZE COARSE AGGREGATE)	ASTM C131 : 2006	3	1	210.00	420.00
	58	LOS ANGELES ABRASION (LARGE SIZE COARSE AGGREGATE)	ASTM C535 : 2009	3	1	245.00	490.00
ROCK	59	PARTICLE DENSITY / WATER ABSORPTION (COARSE AGGREGATE)	BS 812 : 1995 P2 T5.3, 5.4 AMD10379/r - 1999	4	2	105.00	210.00
	117	SAMPLING HARDENED CONCRETE (CORING ON FLOORS)	BS 1881 : 1983 P120 AMD6109 - 1989	2	1	35.00	70.00
	344	SPECIFIC GRAVITY & WATER ABSORPTION OF COARSE AGGREGATE	ASTM C 127 : 07	4	1	105.00	210.00
	376	ANALYSIS OF MATERIAL BY X-RAY FLUORSCENCE SPECTOMETRY	BS EN 196 - 2 : 2005	4	1	280.00	560.00
	537	POINT LOAD STRENGTH INDEX OF ROCK	ASTM D5731 - 2002	7	1	35.00	70.00
	553	UNCONFINED COMPRESSIVE STRENGTH OF COHESIVE SOIL USING LOAD FRAME METHOD	BS 1377 : PART7 : CL.7.2 : 1990	3	1	70.00	140.00
	10						

Prod. Name	DCL Test Code	Test Name	Std Method No	Duration [Working Days]	No. of Specimen Tested	Charges Per Test (AED)	
						DM Projects	Private projects
SOIL IN-SITU TEST PRODUCTS	222	INSITU CBR	BS 1377 :PART9: 1990: T 4.3AMD 8264: 1995	3	1	140.00	280.00
	225	CONE PENETRATION TEST (PER METER)	DIN 4094 : P2 : 1980 & DIN 4094 : P1 : 1974	10	1	46.69	93.38
	226	STANDARD PENETRATION TEST (PER METER)	BS 1377:Part9 : 1990:T 3.3 AMD 8264:1995	10	1	420.00	840.00
	249	INSITU DENSITY (SMALL POURING CYLINDER)	BS 1377 :Part9: 1990:T 2.1 AMD 8264: 1995	4	1	35.00	70.00
	250	INSITU DENSITY (LARGE POURING CYLINDER)	BS1377:P9:cl.2.2:Amd 8264:95(AD-09:2011)	6	1	70.00	140.00
	253	SIEVE ANALYSIS (WET)	BS 1377 : Part 2 : 1990:T 9.2 : AMD9027:1996	4	1	175.00	350.00
	378	SAMPLING OF SOIL FROM BOREHOLE (BY USING STANDARD PENETRATION EQUIPMENT (PER METER)	BS 5930 - 1999	8	1	254.24	508.48
7							

Prod. Name	DCL Test Code	Test Name	Std Method No	Duration [Working Days]	No.of Specimen Tested	Charges Per Test (AED)	
						DM Projects	Private projects
9		CHLORIDE CONTENT OF SAND & AGGREGATE (ACID SOLUBLE)	BS 812 : 1988 P117 " Appendix C "	5	1	210.00	420.00
10		SULPHATE CONTENT OF SAND & AGGREGATE (ACID SOLUBLE)	BS EN 1744-1:1998	6	1	280.00	560.00
16		SPECIFIC GRAVITY & WATER ABSORPTION OF FINE AGGREGATE	ASTM C128 : 07a	4	1	175.00	350.00
26		FULLY CRUSHED FACES OF AGGREGATE	DMS - 7 : 2001(R-07)	3	1	175.00	350.00
27		PARTIALLY CRUSHED FACES OF AGGREGATE	DMS - 8 : 2001(R07)	3	1	175.00	350.00
28		TEN PERCENT FINES (DRY)	BS 812 : 1990 P111 T7.1 (AD-04:2002)	3	2	175.00	350.00
30		ELONGATION INDEX OF AGGREGATE	BS 812 : 1990 P105 S105.2	3	1	140.00	280.00
31		AGGREGATE CRUSHING VALUE	BS 812 : 1990 P110 (AD-03:2002)	3	2	175.00	350.00
54		SOUNDNESS	ASTM C88 : 05	11	1	385.00	770.00
57		LOS ANGELES ABRASION (SMALL SIZE COARSE AGGREGATE)	ASTM C131 : 2006	3	1	210.00	420.00
58		LOS ANGELES ABRASION (LARGE SIZE COARSE AGGREGATE)	ASTM C535 : 2009	3	1	245.00	490.00
60		LIQUID LIMIT	BS 1377 : Part 2:1990 : T4.5 AMD 9027 : 1996	6	1	140.00	280.00
61		PLASTIC LIMIT	BS 1377 : Part 2:1990 :T5.3 AMD 9027 : 1996	6	1	70.00	140.00
62		PLASTICITY INDEX	BS 1377: Part2: 1990: T5.4 AMD 9027 : 1996	6	1	11.90	23.80
64		SAND EQUIVALENT OF SOILS & FINE AGGREGATE	ASTM D2419 : 2009	3	1	175.00	350.00
85		FLAKINESS INDEX OF AGGREGATE	BS 812 : 1989 P105 S105.1	3	1	105.00	210.00
186		SAMPLING OF AGGREGATE	ASTM D75 - 09	2	1	35.00	70.00

DUCTS

Prod. Name	DCL Test Code	Test Name	Std Method No	Duration [Working Days]	No. of Specimen Tested	Charges Per Test (AED)	
						DM Projects	Private projects
SOIL LABORATORY TEST PRO	239	CALIFORNIA BEARING RATIO (CBR)	BS 1377: Part4:1990: T.7 AMD 13925 : 2002	14	1	210.00	420.00
	240	LINEAR SHRINKAGE	BS 1377 : Part2: 1990: T6.5 AMD 9027: 1996	6	1	105.00	210.00
	251	DRY DENSITY / MOISTURE CONTENT RELATIONSHIP (4" MOULD)	BS 1377 : Part4:1990 T.3.5 AMD 13925 : 2002	6	1	315.00	630.00
	252	DRY DENSITY / MOISTURE CONTENT RELATIONSHIP (6" MOULD)	BS 1377 : Part4:1990: T. 3.6 AMD 13925 : 2002	6	1	385.00	770.00
	253	SIEVE ANALYSIS (WET)	BS 1377 : Part 2 : 1990:T 9.2 : AMD9027:1996	4	1	175.00	350.00
	254	SIEVE ANALYSIS (DRY)	BS 1377:1990 P2 T9.3	3	1	105.00	210.00
	259	ORGANIC MATTER CONTENT	BS 1377 : P3 (1990)AMD 9028:(1996)	5	1	105.00	210.00
	300	ACID SOLUBLE SULPHATE OF SOIL	BS 1377 : P3 (1990)AMD 9028:(1996)	5	1	280.00	560.00
	302	ACID SOLUBLE CHLORIDE OF SOIL	BS 1377 : P3 (1990)AMD 9028:(1996)	4	1	210.00	420.00
	303	WATER SOLUBLE SULPHATE OF SOIL	BS 1377 : P3 (1990)AMD 9028:(1996)	5	1	210.00	420.00
	304	PH VALUE OF SOIL	BS 1377 : P3 (1990)AMD 9028:(1996)	3	1	105.00	210.00
	332	DRY DENSITY / MOISTURE CONTENT RELATIONSHIP (VIBRATING HAMMER)	BS 1377 : Part4: 1990 : T.3.7 AMD 13925 : 2002	4	1	385.00	770.00
	344	SPECIFIC GRAVITY & WATER ABSORPTION OF COARSE AGGREGATE	ASTM C 127 : 07	4	1	105.00	210.00
	354	WATER SOLUBLE CHLORIDE OF SOIL	BS 1377 : P3 (1990)AMD 9028:(1996)	4	1	140.00	280.00
	360	CARBONATE CONTENT OF SOIL	BS 1377 : P3 (1990)AMD 9028:(1996)	4	1	175.00	350.00
	376	ANALYSIS OF MATERIAL BY X-RAY FLUORSCENCE SPECTOMETRY	BS EN 196 - 2 : 2005	4	1	280.00	560.00
	428	CEMENT CONTENT OF CEMENT STABILIZED MATERIALS	BS 1924 : PART 2 : CL 5.1 : 1990	6	1	157.50	315.00

DUBAI MUNICIPALITY
DUBAI CENTRAL LABORATORY
ENGINEERING MATERIALS LABORATORY SECTION
[TEST DETAILS WITH CHARGES]

Prod. Name	DCL Test Code	Test Name	Std Method No	Duration [Working Days]	No.of Specimen Tested	Charges Per Test (AED)	
						DM Projects	Private projects
542		DIRECT SHEAR TEST OF SOIL-SAND (SMALL SHEARBOX)	ASTM D3080:2003	3	3	525.00	1,050.00
543		DIRECT SHEAR TEST OF SOIL-CLAY (SMALL SHEARBOX)	ASTM D3080 : 2003	13	3	630.00	1,260.00
544		DIRECT SHEAR TEST OF SOIL-SAND (SMALL SHEARBOX)	BS 1377 : PART 7 : CL.4 : 1990 (SINGLE STAGE)	3	3	525.00	1,050.00
545		DIRECT SHEAR TEST OF SOIL-CLAY (SMALL SHEARBOX)	BS 1377 : PART 7 : CL.4 : 1990 (SINGLE STAGE)	13	3	630.00	1,260.00
553		UNCONFINED COMPRESSIVE STRENGTH OF COHESIVE SOIL USING LOAD FRAME METHOD	BS 1377 : PART7 : CL.7.2 : 1990	3	1	70.00	140.00
39							

Prod. Name	DCL Test Code	Test Name	Std Method No	Duration [Working Days]	No. of Specimen Tested	Charges Per Test (AED)	
						DM Projects	Private projects
	293	MASS OF ZINC COATING ON STEEL WIRE	BS 443 : 1982 AMD6158 - 1989	3	1	70.00	140.00
	451	THICKNESS OF COATING OF GALVANIZED STEEL	BS EN ISO 1461 : 1999	4	1	35.00	70.00
	473	TENSILE TEST OF HIGH TENSILE STEEL WIRE & STRAND	BS 5896 : 1980 (APPENDIX A5)	4	3	1,260.00	2,520.00
	474	TENSILE TEST OF CARBON STEEL BARS	BS 4449 : 1997	4	3	315.00	630.00
	475	REBEND FOR CARBON STEEL BARS	BS 4449 : 1997 TEST E.1.6	3	1	140.00	280.00
	491	MASS OF ZINC COATING OF FERROUS MATERIALS (GRAVIMETRIC METHOD)	BS EN ISO 1460 : 1995	3	1	70.00	140.00
	533	TENSILE TESTING OF METALIC MATERIALS	BSEN 10002-1	4	3	420.00	840.00
	561	LONGITUDINAL TENSILE PROPERTIES OF FIBER REINFORCED POLYMER BAR	DMS-19 .2005	5	5	700.00	1,400.00
STEEL	599	TENSILE OF STEEL STRAND - UNCOATED SEVEN WIRE	ASTM - A 416/A416M - 06	4	3	1,260.00	2,520.00
	611	CHEMICAL ANALYSIS OF CARBON & LOW ALLOY STEEL BY OPTICAL EMISSION SPECTROMETRY	ASTM E 415 - 08	4	1	402.50	805.00
	616	TENSILE TEST OF STEEL FOR THE REINFORCEMENT OF CONCRETE	BS EN ISO 15630-1 : 2002	4	3	315.00	630.00
	617	REBEND TEST OF STEEL FOR THE REINFORCEMENT OF CONCRETE	BS EN ISO 15630-1 : 2002	4	1	140.00	280.00
	618	TENSILE TEST FOR CARBON STEEL BAR FOR CONCRETE	ASTM A-370-08a Annex 9	4	3	315.00	630.00
	619	BEND TEST FOR CARBON STEEL BAR FOR CONCRETE	ASTM A-370-08a Annex 9	4	1	140.00	280.00
	647	MSMT.OF THE GEOMETRICAL CHAR.& RELATIVE RIB AREA OF STEEL BAR	BS EN ISO 15630-1 : 2002 C10 &11	4	1	280.00	560.00
	653	MEASUREMENT OF PROJECTED RIB AREA OF DE FORMED STEEL BAR	BS 4449 :1997 : ANNEX C	4	1	280.00	560.00
	669	TENSILE STRENGTH TEST OF STEEL COUPLER	DMS - 024 : 2010	10	3	1,260.00	2,520.00
	689	RIB MEASUREMENT OF DEFORMED STEEL BAR	ASTM A 615/615M 09 CL. 8	4	1	280.00	560.00

Prod. Name	DCL Test Code	Test Name	Std Method No	Duration [Working Days]	No.of Specimen Tested	Charges Per Test (AED)	
						DM Projects	Private projects
WATER	296	CHLORIDE CONTENT IN WATER	ASTM D512 - 04	3	1	70.00	140.00
	297	PH VALUE OF WATER	ASTM D1293 : 2005	3	1	52.50	105.00
	298	TOTAL DISSOLVED SOLIDS (TDS) OF WATER	BS 1377 : P3 (1990)AMD 9028:(1996)	3	1	87.50	175.00
	299	SULPHATE CONTENT IN WATER	ASTM D516 - 07	3	1	140.00	280.00
	513	CHLORIDE CONTENT OF GROUND WATER	BS 1377 : P3 (1990)AMD 9028:(1996)	3	1	70.00	140.00
	514	SULPHATE CONTENT OF GROUND WATER	BS 1377 : P3 (1990)AMD 9028:(1996)	4	1	87.50	175.00
	515	PH OF GROUND WATER	BS 1377 : P3 (1990)AMD 9028:(1996)	3	1	52.50	105.00